Connections of Uniform Design and Other Designs

- Fang, K.T. and Mukerjee, R. (2000), A connection between uniformity and aberration in regular fractions of two-level factorials, *Biometrika*, 87, in press.
- Ma, C.X. and Fang, K.T. (1999), Some connections between uniformity orthogonality and aberration in regular fractional factorial designs, Technical Report MATH-284, Hong Kong Baptist University.
- Hickernell, F.J. (1999), Goodness-of-fit statistics, discrepancies and robust designs, *Statist. Probab. Lett.*, **44**, 73-78.
- Hickernell, F.J. and Hong, H.S. (1999), The asymptotic efficiency of randomized nets for quadrature, *Math. Comp.* **68**, 767-791.
- Yue, R.X. and Hickernell, F.J. (1999), Robust designs for fitting linear models with misspecification, *Statist. Sinica*, **9**, 1053-69.
- Ma, C.X. and Fang, K.T. (1998), Applications of uniformity to orthogonal fractional factorial designs, Technical Report MATH-193, Hong Kong Baptist University.
- Fang, K.T., Lin, Dennis K.L. and Ma, C.X. (1998), On the construction of multi-level supersaturated designs, Technical Report MATH-191, Hong Kong Baptist University, to appear in *Journal of Statistical Planning and Inference*.
- Riccomagno, E., Schwabe, R. and Wynn, H.P. (1997), Lattice-based D-optimum design for Fourier regression, *Ann. Statist.*, **25**, 2313-27.
- Hickernell, F.J. (1997), Quadrature error bounds with applications to lattice rules, SIAM J. Numer. Anal., 33, 1995-2016., corrected printing of Sections 3-6 in ibid, (1997) 34, MR 97m:6050, ZM 855.41024.
- 韓茂祥,章渭基 (1997),均勻設計在參數設計中的應用初探,均勻設計論文選 (第 二集),41-56.
- 盧賢巨,章渭基,韓茂祥 (1997),均勻設計在質量工程中的應用,均勻設計論文選 (第二集),57-73.
- 吳黎軍 (1997),穩定性參數擇優的新方法----正交表與均勻設計表的聯用,均勻設計 論文選 (第二集),74-78.
- 高鳳鳴 (1997),"田口方法"與 "均勻設計"結合使用的參數設計問題,均勻設計論 文選 (第二集),79-86.
- 高鳳鳴 (1997), "田口方法"與 "均勻設計"結合使用的參數設計問題,均勻設計論 文選 (第二集),233-240.
- 張學中 (1995), 直接試驗設計, *均勻設計論文選 (第一集)*, 48-52.
- Bates, R.A., Riccomagno, E., Schwabe R. and Wynn, H.P. (1995), Lattices and duals Lattices
 in experimental design for Fourier models, *Proceeding's Workshop on Quasi-Monte Carlo Methods and Their Applications, Hong Kong Baptist University*, 1-14.
- Bates, R.A., Buck, E., Riccomagno and Wynn, H.P. (1996), Experimental design and observation for large system (with discussion), *J. Royal Statist. Sec. B.*, **58**, 77-94.

- Koehler, J.R. and Owen, A.B. (1996), *Computer experiments, in Handbook of Statistics, Vol.* 13, Eds by S. Ghosh and C.R. Rao, 261-308, *Elsevier Science B.V.*
- Cheng, C.S. and Li, K.C. (1995), A study of the method of principal Hessian direction for analysis of data from design experiments, *Statistica Sinica*, **5**, 617-639.
- Shi, P. and Fang, K.T. (1995), Optimal U-designs under multi-criteria for Fourier regression models, *Proceeding's Workshop on Quasi-Monte Carlo Methods and Their Applications, Hong Kong Baptist University*, 225-245.
- Xie, M.Y. and Fang, K.T. (1995), Orthogonality of the uniform type design under general Fourier regression models, *Proceeding's Workshop on Quasi-Monte Carlo Methods and Their Applications, Hong Kong Baptist University*, 265-274.
- Tang, B. (1993), Orthogonal array-based hypercube, J. Amer. Statist. Assoc., 88, 1392-97.